

Tele : 27157534/2103

Army Institute of Technology

Dighi Hills, Pune – 411015

AIT/0810/87/16-17/CQ/Proj

Date : 24 Nov 16

Due date : 17 Dec 16

CALL FOR QUOTATION :PROCUREMENT OF CISCO CATALYST SWITCH 2960-48 PORTS FOR OBH HOSTEL

1. This Institute is interested in procuring CISCO Catalyst Switch 2960 48 Ports for OBH Hostelas per the specifications given below:-

Sr no	Specifications	Qty	Unit Price Rs	Total Rs
1.	Cisco Catalyst 2960 48 Ports GigE POE 370W, 2 X 10G PoE + LAN Base	01		
Grand Total (incl of all taxes)				

2. Please send your lowest quotation in sealed cover addressed to Director AIT so as to reach this institute on or before 17 Dec 16. Late quotations shall not be considered.

3. Envelope should be subscribed as “**CISCO CATALYST SWITCH 2960 - 48 PORTS FOR OBH HOSTEL.**”

4. Terms and Conditions.

- a) The price quoted should be inclusive of delivery at Army Institute of Technology, Dighi, Pune-411015. We provide Pune Municipal Octroi Exemption Certificate for supplies from outstation but not for supplies within the city.
- b) Tender Specified OEM MAF is mandatory for technical qualification, if failure to submit MAF Quotation will Rejected
- c) Discount offered if any, should be indicated as percentage of rates quoted, separately.

- d) Supply/Installation should be done within three weeks of the date of supply order
- e) Quotations will be opened by a board of officers detailed by AIT.
- f) Payments for supplies will be made direct to the supplier by crossed cheque only after receipt of the stores in good condition/installation and on verification by a board of officers.
- g) Printed conditions of the tenders/quotations shall not be binding on us.
- h) The acceptance of quotation will rest with the Director, Army Institute of Technology, Dighi, Pune – 411 015, who does not bind himself to accept the lowest quotation and reserves the right himself to reject or partially accept any or all quotations received without assigning any reason.
- i) Quotations are liable to be rejected if any of the above conditions are not complied with.

(KE Vijayan)
Col (Retd)
Jt Director
for Director