

Tele : 27157534/2103

Army Institute of Technology  
Dighi Hills  
Pune – 411015

AIT/0810/132/2016-17/CQ/Proj

Date : 20 Mar 17

Due date : 26 Mar 17

**CALL FOR QUOTATION: PROCUREMENT OF DSP BASED KIT FOR  
E&TC DEPARTMENT (BCUD RESEARCH GRANT)**

1. This Institute is interested in carrying out the procurement of equipments for E&TC Department as per the following specification:-

Sr. No	Description of Equipment with specifications	Qty.	Rate (Rs)	Amount (Rs)
1	DSP based kit with necessary accessories for ECG Signal acquisition in real time.  a) Sensor with accessories b) Expansion/add on board (if necessary)	01 No		
<b>Total (Incl usive of all taxes)</b>				

2. Please send your lowest quotation in sealed cover addressed to Director AIT so as to reach this institute on or before 26 Mar 17. Late quotations shall not be considered.

3. Envelope should be supe scribed “**PROCUREMENT OF DSP BASED KIT FOR E&TC DEPARTMENT (BCUD RESEARCH GRANT)**”

**4. TERMS AND CONDITIONS**

- (a) The price quoted should be inclusive of delivery at Army Institute of Technology, Dighi, Pune-411015.
- (b) Discount offered if any, should be indicated as percentage of rates quoted, separately.
- (c) Supply/Installation should be done within two weeks of the date of supply order.
- (d) Quotations will be opened by the board.

- (e) Payments for supplies will be made direct to the supplier by crossed cheque only after receipt of the stores in good condition/installation and on verification by a board of officers.
- (f) Printed conditions of the tenders/quotations shall not be binding on us.
- (g) The acceptance of quotation will rest with the Director, Army Institute of Technology, Dighi, Pune – 411 015, who does not bind himself to accept the lowest quotation and reserves the right himself to reject or partially accept any or all quotations received without assigning any reason.
- (h) Quotations are liable to be rejected if any of the above conditions are not complied with.

Sd/-xxx  
(KE Vijayan)  
Col (Retd)  
Joint Director  
For Director