REQUEST FOR PROPOSAL (RFP)

(ARMY INSTITUTE OF TECHNOLOGY (AIT), PUNE)

Invitation of Bids for Procurement of Computational Fluid Dynamics (CFD) Software for Department of Mechanical Engineering

Request for Proposal (RFP) No 280/2023 dated 6 May 2024

- 1. Bids in sealed cover are invited for supply of items listed in Part III of this RFP. Please superscribe the above mentioned Title, RFP number of the Bids on the sealed cover to avoid the Bid being declared invalid.
- 2. The address and contact numbers for sending Bids or seeking clarifications regarding this RFP are given below –

(a) Bids/queries to be addressed to

: Project Office, Army Institute of Technology, Dighi, Alandi Road Pune – 411015.

(b) Postal address for sending the Bids

Project Office, Army Institute of Technology, Dighi, Alandi Road Pune – 411015.

(c) Name/designation of the contact personnel

: Prof Rushikesh H Patil (Project Officer)

(d) Telephone numbers of the contact personnel

: 7249250184/185 Extn 2106

3. This RFP is divided into five Parts as follows:

(e) e-mail id of contact personnel nward to: project@aitpune.edu.in

- (a) Part I Contains General Information and Instructions for the Bidders about the RFP such as the time, place of submission and opening of tenders, Validity period of tenders, etc.
- (b) Part II Contains essential details of the items/services required, such as the Schedule of Requirements (SOR), Technical Specifications, Delivery Period, Mode of Delivery and Consignee details.
- (c) Part III Contains Standard Conditions of RFP, which will form part of the Contract with the successful Bidder.
- (d) Part IV Contains Special Conditions applicable to this RFP and which will also form part of the contract with the successful Bidder.
- (e) Part V Contains Evaluation Criteria and Format for Price Bids.

4. This RFP is being issued with no financial commitment and the Buyer reserves the right to change or vary any part thereof at any stage. Buyer also reserves the right to withdraw the RFP, should it become necessary at any stage.

PART I - GENERAL INSTRUCTION

- 5. Last date and time for depositing the Bids: Last date and time for depositing the Bids is May 2024. The sealed Bids (both technical and Commercial, in case two bids are called for) should be deposited/reach by the due date and time. The responsibility to ensure this lies with the Bidder.
- 6. Manner of depositing the Bids: Sealed Bids should be either dropped in the Tender Box marked as TENDER BOX or sent by registered post at the address given above so as to reach by the due date and time. Late tenders will not be considered. No responsibility will be taken for postal delay or non-delivery/ non-receipt of Bid documents. Bids sent by FAX or e-mail will not be considered (unless they have been specifically called for by these modes due to urgency).
- 7. <u>Time and date for opening of Bids:</u> May 2024 at 10:00 am (tentatively). If due to any exigency, the due date for opening of the Bids is declared a closed holiday, the Bids will be opened on the next working day at the same time or on any other day/time, as intimated by AIT.
- 8. <u>Location of the Tender Box</u>: Tender Box is placed at Reception Counter of AIT. Only those Bids that are found in the tender box will be opened. Bids dropped in the wrong Tender Box will be rendered invalid.
- 9. <u>Place of opening of the Bids:</u> **New Conference Hall, AIT**. The Bidders may depute their representatives, duly authorized in writing, to attend the opening of Bids on the due date and time. Rates and important commercial/technical clauses quoted by all Bidders will be read out in the presence of the representatives of all the Bidders. This event will not be postponed due to non-presence of your representative.
- 10. <u>Two-Bid system:</u> Only the Technical Bid would be opened on the time and date mentioned above. Date of opening of the Commercial Bid will be intimated after acceptance of the Technical Bids. Commercial Bids of only those firms will be opened, whose Technical Bids are found compliant/suitable after Technical evaluation is done by the Buyer.
- 11. Forwarding of Bids Bids should be forwarded by Bidders under their original memo / letter pad inter alia furnishing details like PAN number, GST number, Bank address with EFT Account if applicable, etc and complete postal & e-mail address of their office.
- 12. <u>Pre-Bid Meeting</u> Pre Bid meeting will be scheduled where necessary. Date and time of Pre-Bid Meeting will be intimated by the Buyer on mail or telephone/contact no provided by bidder.
- 13. <u>Modification and Withdrawal of Bids</u>: A bidder may modify or withdraw his bid after submission provided that the written notice of modification or withdrawal is received by

the Buyer prior to deadline prescribed for submission of bids. A withdrawal notice may be sent by fax but it should be followed by a signed confirmation copy to be sent by post and such signed confirmation should reach the purchaser not later than the deadline for submission of bids. No bid shall be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and expiration of the period of bid validity specified. Withdrawal of a bid during this period will result in Bidder's forfeiture of bid security.

- 14. <u>Clarification regarding contents of the Bids</u>: During evaluation and comparison of bids, the Buyer may, at its discretion, ask the bidder for clarification of his bid. The request for clarification will be given in writing and no change in prices or substance of the bid will be sought, offered or permitted. No post-bid clarification on the initiative of the bidder will be entertained.
- 15. <u>Rejection of Bids:</u> Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summary rejection with forfeiture of EMD. Conditional tenders will be rejected.
- 16. <u>Unwillingness to quote:</u> Bidders unwilling to quote should ensure that intimation to this effect reaches before the due date and time of opening of the Bid, failing which the defaulting Bidder may be delisted for the given range of items as mentioned in this RFP.
- 17. <u>Validity of Bids:</u> The Bids should remain valid till three months from the last date of submission of the Bids.
- 18. <u>Tender Fee:</u> Bidders are required to submit Tender Fee for amount of Cost of Tender 1,000/- along with their bids. The Tender Fee may be submitted in the form of an Account Payee Demand Draft in favour of Army Institute of Technology.
- 19. <u>Earnest Money Deposit:</u>— Bidders are required to submit Rs 20,000/- (Twenty Thousand only) as Earnest Money Deposit (EMD) along with their bids. The EMD may be submitted in the form of an Account Payee Demand Draft in favor of Army Institute of Technology. EMD is to remain valid for a period of forty-five days beyond the final bid validity period. EMD of the unsuccessful bidders will be returned to them at the earliest after expiry of the final bid validity and latest on or before the 30th day after the award of the contract. The Bid Security of the successful bidder would be returned, without any interest whatsoever, after the receipt of Performance Security from them as called for in the contract. The EMD will be forfeited if the bidder withdraws or amends, impairs or derogates from the tender in any respect within the validity period of their tender.

Part II - Essential Details of Items/Services required

20. Schedule of Requirements - List of items / services required is as follows: -

'PROCUREMENT OF COMPUTATIONAL FLUID DYNAMICS (CFD) SOFTWARE FOR DEPARTMENT OF MECHANICAL ENGINEERING'

21. Technical Details:

Ser	Particulars	Qty	Compliance		Remarks
10			Yes	No	
	Software				
1	PRE-PROCESSOR (MODELING, MESHING, BOUNDARY				
	CONDITIONS, etc)				
	Geometry				
	Geometry Creation Tools	Maria de la companya			
	Features - Solid, Cut, Shell, Wire, Mirror				
	Datum geometry				
	Partitioning tools				
	Sketch Tools				
	Geometry Readers - Faceted geometry & Mesh Reader				
	Geometry Edit Tools				
	Geometry Repair/Simplification/Clean-up Tools				
	Multi-level undo & redo functionality for geometry				
	Meshing				
	Mesh Types				
	Volume & Surface meshes				
	Structured & Un-structured meshes				
	Quadrilateral, Triangular, Hexahedral (brick),			E HOUSE	
	Cartesian, Tetrahedral, Polyhedral, Prism				
	(wedge), Pyramid, Shell, mixed element				
	meshes (Tetra/Prism hybrid, Hexa hybrid,				
	Quad/tri Shell, etc)				
	Mesh Interfaces - Conformal & Non-conformal				
	(including fluid/solid)				
	Geometry Readers - Faceted geometry & Mesh			DE BETTE	
	Reader				
	Mesh Manipulation (Diagnosis & Repair and	orv			
	editing/generation) Tools - Translation, Rotation,				
	Scaling, Fusion, Seperation, Deletion, Split, Move,	Final by			
	Align, Redistribute, Merge nodes or Meshes,				
	Deactivation/Reactivation, Replacement and	See and 1			
	Appending of cell zones, Smooth, Coarsen,				
	Refine, Extrude, Re-mesh, Stitch, Change			105-1	
	projection, Transform, Change Element Types,				
	Renumber, Adjust thickness, Normal, etc				
	Hybrid Mesh generation Utilities				
	Grid-to-grid interpolation				
	Dynamic Mesh Modeling				
	Automatic Handling of Mesh motion & deformation				
	Automatic Refinement/Coarsening using sizing functions				
	Compatible with other physical models/flows				
	In-cylinder mesh motion & crevice/blowby				
	model				
	Dynamic cell addition & deletion				
	Moving Mesh Analysis				
	Mesh motion preview				
	6DOF solver				
	Free Surface Modeling				
	Single velocity field (VoF) Compressive discretization at free surface				

	Surface tension				
-					
	Zero gradient boundary conditions for volume				
	fractions for automatic height calculation in				
	subcritical free surface flows				
	Supercritical flow outlets				
	Multiple velocity fields for strong				-
100	mixing/entrainment with separation				
-	Mesh Motion & Re-meshing				
13	Automatic Handling of Mesh motion &				
	deformation				
	Steady-state and transient				
	Diffusion of prescribed surface mesh motion -				
	Increased mesh stiffness for small elements and				MANUEL ST
	near-wall mesh				
	Explicit volume mesh deformation				
	Solution-based mesh adaption				
	Integrated re-meshing control		230		
	Multi-level undo & redo functionality for meshing				
	& mesh editing action				
5 - 4	Queries				
3	Materials Models/Properties				
-					
		er er er er	A STEELER		The state of the s
	database/Library of materials				
	Constant or Variable Fluid Properties -				
	Temperature & Composition dependent				
	Standard Fluids & Solids				
	Standard reaction mechanisms, Chemical				
	species mixtures, Thermodynamic & Kinetic				8782
	Properties Properties		THE REAL PROPERTY.		
	Particle/droplet data for standard solids,				
	liquids, liquid fuels & coals				
	Equation of state				
	Ideal gas				
	Standard Redlich-Kwong				
	Aungier Redlich-Kwong				
	Soave Redlich-Kwong				
	Peng-Robinson //				
	IAPWS IF-97 (water)	ADDASOLATINE ELECTION	N. T.		
	. User defined	N. T.			
	Specific heat capacity	SIGFY			
		11 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	Constant				
	NASA format				
	Fourth-order polynomials				20 10 20 10 10
	User defined		IN-SEE		
	Conductivity	The second second			
	Sutherlands formula				
				10.11	
	Modified Eucken kinetic theory model				
	User defined				
	Viscosity				
	Sutherlands formula	SHIRT OF A STATE OF			
	Rigid non-interacting sphere kinetic theory				
	model model				
e in Line					
	Rigid interacting sphere kinetic theory model	DAYS IS SEE	ill well		
	User defined				
	Non-Newtonian Fluid Models		Carte Sulf-sulf-	Total Control	
	Powerlaw	WHERE WELL		W. Maria	
	Herschel-Bulkley			(FIS. 223) 3 (S	
3777	Carreau				
					San Table
	Cross				
	User-defined law, with temperature-dependent	and respective		A TOTAL SECTION	
	fluid model parameters				
	Non-Newtonian viscosity models	SWEDNESS WAS			
-					
	Bingham				
	Bird-Carreau				

The second second second

	Carreau-Yasuda				
	Casson, Cross				
	Hershel-Buckley	No. of London	PAS AGE		
	Ostwald-de Waele				
1	User defined				
	Antoine equation for vapor pressure curves of				
	pure substances				
	Multi-component mixtures	Condenses			
	Electro-magnetic properties				
	Electrical conductivity				
	Magnetic permeability				
	Standard Real Gas Model for Refrigerants &	100000000000000000000000000000000000000			
	Hydrocarbons				
	User-defined Real Gas Model for simple &	The second second			
	complex equations of state				
	Multiple species Model with Real Gas Model				
	User-defined Property inputs		VOS- 1		
	Additional Material Properties				
	Density				
	Material damping				
	Thermal expansion				
	Electrical conductivity				
	Piezoelectric				
	Acoustic medium Properties - Bulk modulus,				
	Volumetric drag, Cavitation limit				
	Porous - acoustic medium				
	Hydrostatic fluid Properties - Hydraulic &				
	Pneumatic fluids				
	Mass diffusion				
	Pore fluid flow				
1	Viscous shear behaviour for fluids				
1					
	User-defined materials				
4	User-defined materials Materials sections - Fluid section				
4 5	User-defined materials Materials sections - Fluid section Boundary Conditions				
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets				
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined)			*	
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic)		t.	*	
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction static			*	
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and	Blory	SA.		
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure	Blory	li de la companya de		
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure	Slory	in the second se		
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass	Slory	is to the second		
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc	Slory	il.		
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static	Blory	No.		
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static temperature	Glory	No.		
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static	Blory			
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static temperature Turbulent Kinetic Energy & Dissipation Rate Outlets	Blory			
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static temperature Turbulent Kinetic Energy & Dissipation Rate Outlets Subsonic, supersonic	Slory			
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static temperature Turbulent Kinetic Energy & Dissipation Rate Outlets Subsonic, supersonic Mass flow (with pressure profile or	Slory			
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static temperature Turbulent Kinetic Energy & Dissipation Rate Outlets Subsonic, supersonic Mass flow (with pressure profile or circumferential average pressure profile),	Slory			
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static temperature Turbulent Kinetic Energy & Dissipation Rate Outlets Subsonic, supersonic Mass flow (with pressure profile or circumferential average pressure profile), velocity, uniform static pressure, average static pressure, radial equilibrium pressure distribution,	Blory			
	User-defined materials Materials sections - Fluid section Boundary Conditions Inlets Subsonic, supersonic and mixed (combined subsonic and supersonic) Velocity, mass flow and flow direction, static pressure and direction, total pressure and direction, velocity and static or total pressure (supersonic), static pressure and total pressure and direction (supersonic), zero gradient, Mass fraction for multi-component flow, etc Total temperature, total enthalpy, static temperature Turbulent Kinetic Energy & Dissipation Rate Outlets Subsonic, supersonic Mass flow (with pressure profile or circumferential average pressure, average static pressure, radial equilibrium pressure distribution, circumferential average static pressure,	Slory			
	User-defined materials	Slory			
	User-defined materials	Slory			
	User-defined materials Materials sections - Fluid section	Slory			
	User-defined materials	Slory			
	User-defined materials	Slory			
	User-defined materials	Slory			
	User-defined materials	Slory			
	User-defined materials	Blory			
	User-defined materials	Blory			
	User-defined materials	Blory			
	User-defined materials	Slory			

	heat flux specified, heat transfer coefficien	4.1				
	and reference temperature specified, opaque	ıt				
	black body, radiation intensity	,				
	Two-sided walls with optional coupling					
	Fans & Vents					
				- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10		
	Symmetry & Axis Boundary Conditions					
	Thin surfaces/baffles					
	1-D or 2-D profile specifications for any quantity					
-	milet velocity of Mass flux	H CARREST TO				
	Non-reflecting Boundary Conditions			A STATE OF THE STA		
	Multi-phase Velocity or Mass Elling Pour-It-					
	Conditions for individual phases					
	Conditions Pressure Drop Periodic Boundary					-
	Ability to conversion B					
	Ability to copy or reuse Boundary Conditions					
6	Fixed variable option for Computational Cells					
0	General Grid Interfaces		-			
	Connection of multiple meshes from independent		-			
	1 3001003					
	Detailed control of boundary conditions at non-					
	Rasterized or direct mesh intersection algorithms				STEEL STEEL	
7	Multi-Domain and Domain Let					
	Multi-Domain and Domain Interface Models Translational and relationships					
	Translational and rotational periodic connections					
	1 Comonida & Non-Conformal)					
	Translational periodic connections with pressure					
- April	Change of mass flow rate				E GALLE	
	Fluid-solid interfaces with pitch and shape					
	Citaligo					
	Porous domains with conservative algebraic fluid-					
	porous interfaces			1		
	Thin surfaces between fluid and solid domains for					
	modeling conduction theread					
	modeling conduction, thermal contact resistance					
	and coatings, and additional variables transfer					
	stallorary and rotating trames of reference					
	Allemate rotation velocity advection model					
	Mulliple frames of reference interface models					
	Stage interface model	North American				
	Frozen rotor interface model					
	Transient rotor/stator interface model	lague				
	Profile Transformation marks (1-1				
	Profile Transformation model for transient blade					
	row simulations with pitch change					
	SOLVER-NUMERICAL METHODS/ANALYSIS					
	Numerical Methods			100000000000000000000000000000000000000		
	Conservative finite-element-based control					
	volume method					
	Implicit, pressure-based algorithm for all flow					
	speeds, incompressible to compressible		Con all			
	Advection modeling					
	Upwind difference advection scheme					
	First- and second and are					
	First- and second-order blend factor					-
	High-resolution bounded advection scheme					
	bounded central difference scheme		-	N. P. L. ST		
-	Robust and accurate diffusion discretization					
	SCHOLLE					
	Conservative first- & second-order transient					
	discretization with adaptive transient					
	discretization with adaptive transient time					
	1 stopping					
	High-speed numerics treatment for improved					
-	1 Shock capitaling					
S	olver Types					
3 3 00	Implicit & Explicit					
	Stiff & Non-stiff					
	01111 O 17011-31111					
	Pressure-based Solver					

2017	Dancity broad Calumn			
3	Density-based Solvers			
)	Linear Solver			
	Coupled solution of mass and momentum,			-
	including for multiphase flows (optionally with			
	volume fraction equation)			
	Coupled solution of energy for multiphase flows			
	Coupled solution of additional variables for			
	multiphase flows			
	Algebraic multi-grid			
	Incomplete lower/upper factorization smoother			
	Linear performance with increasing number of			Manual V
	nodes			
	Analysis Types			
	Flow Types			
	Linear Flow			
	Newtonian & Non-Newtonian			
	Internal & External			
	Compressible (Transonic, Subsonic &			E PER
	Supersonic) & In-compressible		BAN DATE HERET	
	Viscous & inviscid flow		THE REPORT	
	Laminar & Turbulent			
	Steady-state & Transient			
	Multi-phase Normal & Dispersed			
	Free surface flows & cavitations			
	Reactive flow			
	Other flows			
	Buoyancy & rotation			
	Multiple rotation zones			
	Turbulence Modeling			
	Zero- and one-equation models	94		
	Two-equation models	100		
	Reynolds stress transport models (second-			
-	moment closure)			
-	Explicit algebraic Reynolds stress models			
	Large eddy simulation			
	Scalable wall functions and automatic near-	N.		
	wall treatment with integration to the wall			
	User-defined turbulent wall functions and heat	The second secon		
-	transfer Onward to f	Hora		
	Rough wall treatment for ω-based models,			
	including with transition			
	Curvature correction for swirling flow for two-			
174	equation models			
	Detached eddy simulation			
	Scale adaptive simulation			
	Predictive laminar-turbulent transition model			
	Heat Transfer & Radiation Modeling			
	Thermal energy and total energy			
	Natural convection (buoyancy)			
	Viscous heating			
	Conjugate heat transfer (CHT) solids			
	Porous CHT domains			
	Advection in rotating and translating CHT solids			
	Gray, multi-band, and multi-gray (weighted			
	sum of gray gases) spectral models	THE VENEZUE AND THE		
	Spectral material account of			
-	Spectral material property dependencies			
	Radiation scattering			
	Radiation models (including Solar)			
	Chemical Species Transport , Reaction &			
	Combustion Modeling			
	User-defined reactions and pre-supplied			
	database of reactions			
	Single- and multi-step eddy dissipation model			
_	Finite rate chemistry model	2140,000		

	T	Combined EDM/Figita				
		Combined EDM/finite rate chemistry, single- and multi-step				
	1	EDM maximum flames to				
		EDM maximum flame temperature model				1 20 -
	++	Flame extinction model				
		Spark and auto-ignition (knock and ignition				The second
	1	delay) models	The same			
		Laminar flamelet with presumed PDF model for				
		diffusion flames				
		Premixed/partially premixed combustion		- GERNE		
		(coupled with flamelet PDF for post-flame front				
		mixing and reaction)				
		Burning velocity model				
		Extended coherent flame model, including			PART I	
		wall quenching model				
	++	Exhaust gas recirculation model				
		Weighted reaction progress model for partially				
		premixed combustion				
		Choice of predefined or user-defined turbulent				
-		and laminar burning velocity correlations				
	-	NOx models				
	-	Magnusson soot model				
		Single- or multi-phase combustion				
		Coal combustion with proximate/ultimate				
		hydrocarbon fuel analysis				
-		Chemistry post-processing mode			V-1-1	
		Real gas combustion				
		Component-dependent turbulent Schmidt				
	-	numbers				
		User-definable turbulent Schmidt and Prandtl				
		numbers				
	F	Additional User-Defined Transport Equations				
		Scalar and vector additional variables				
		Advective and diffusive transport				
		Purely diffusive transport				
		Poisson equation				
		User-defined algebraic equation			The second second	
		Conjugate additional variables and additional				
		variables in solid domains	Was sometimes			
	L	agrangian Particle Tracking Modeling	Y Long Long			
		One-way or fully coupled two-way momentum	HOFY			
		transfer				
		Steady-state or transient				
		Moving mesh support				
1		Detailed control of injection locations, size				
		distributions, etc		78115		
		User-defined and predefined particle drag				
		models				120
		Non-drag forces (virtual mass, pressure				
		gradient and turbulent dispersion)		5 5 5	The Part of the Pa	
		Primary breakup models				
		Secondary breakup models				
		Advanced particle-wall interaction				
		Virtual wall model for particle reflections at				
		rough walls				
		Quasi-static wall film model				
		Wall erosion models				
		Stochastic particle-particle collision model				
		Extensive spray penetration diagnostics	Description (
		Convective, latent, and radiative heat transfer	45			
	10000				No the latest of	
		Evaporating and helicing				
		Evaporating and boiling single- and multi-				
		Evaporating and boiling single- and multi- component liquid droplets				
		Evaporating and boiling single- and multi- component liquid droplets Coal combustion model with				
		Evaporating and boiling single- and multi- component liquid droplets				

	mesh				
	User Fortran control of particle injection and				
	particle models				
	Fully parallelized				
	Choice of particle termination criteria				
	Eulorian Multi above 51- Mark 11				
	Eulerian Multi-phase Flow Modeling				
	Homogeneous or fluid-dependent				
	Mass and momentum equations				
	Turbulence equations	THE REAL PROPERTY.	THE STATE OF		
	Energy equations				
	Unlimited number of phases				
	Drag force models	THE STREET			
	Non-drag force models				
	Interphase				
	Heat transfer				
	Variable transfer				
	Mass transfer				
	Multiple size group model for poly-dispersed				
	with breakup and coalescence				
	Algebraic slip multiphase model	9-1-1-1	-		
	Noise/Acoustics Modeling				
	Lighthill stress output				
74	Export of monopole, dipole and rotating dipole				
	sources for acoustics solvers			ALC: NO.	
	General Source Term Models				
	Isotropic and directional loss models				
	Linear and quadratic resistance models				
	Permeability and loss coefficient models				
	User-defined volumetric sources of mass,				
	momentum, energy and species	1			
	User-defined boundary sources of mass,	-			
	momentum, energy and species				
	Six Degree-of-freedom Rigid Body Solver				
	Implicit motion of mesh regions and domains	新在 第			-
	Detailed rigid body solution and coupling				
	control		The No.		
	Expression language access to all rigid body state variables				
-					
	Immersed Solids Modeling Onward to 1	S OBL			
	Capture of motion of solids completely or				
	partially overlapping with fluid domains -				
	Unlimited general solid motion without re-				
	meshing				
	Implicit motion of immersed solids based on	VENIENSE.			
	rigid body solver solution				
	Fluid Structure Interaction (FSI) Modeling				
	C				
	One-way FSI coupling with structural				
	mechanics solutions for steady-state analysis				
	Two-way FSI capability for transient or steady-				
	state analysis with moving/deforming				
	geometry				
	Conservative profile-preserving interpolation for				
					Marie III
	fluid dynamic forces and heat flows				
	Fluid-structure Interaction (FSI) Applications				
	Fluid-structure Interaction (FSI) Applications Domain Capability				
	Fluid-structure Interaction (FSI) Applications				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive HVAC				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive HVAC Rotating/Turbo Machinery				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive HVAC Rotating/Turbo Machinery Sensors & Actuators				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive HVAC Rotating/Turbo Machinery Sensors & Actuators Manufacturing				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive HVAC Rotating/Turbo Machinery Sensors & Actuators				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive HVAC Rotating/Turbo Machinery Sensors & Actuators Manufacturing				
	Fluid-structure Interaction (FSI) Applications Domain Capability Automotive HVAC Rotating/Turbo Machinery Sensors & Actuators Manufacturing Bio-Medical/Bio-Mechanics				

	TI	hermal Analysis		
	11	Analysis Types		
		Steady state - Heat transfer & Mass diffusion,		
		Transport Analysis		
		Transient - Heat transfer & Mass diffusion		
		Thermal Modelings		
		Conduction		
		Convection		
-				
		Radiation		
		Conjugate Heat Transfer		
		Phase change		•
		Acoustics Analysis		
		Multiphysics/Coupled problems - Thermomechanical, Thermo-electrical, Piezoelectric, Pore, fluid flow-mechanical, Shock & structural-acoustic, multi-field general purpose solver		
		Co-simulation - Fluid-structure interaction (FSI), Conjugate heat transfer (CHT)		
		Flow analysis - Incompressible - Laminar &		
		Turbulent Coupled Eulerian-Lagrangian		
C	POS	T-PROCESSOR		
1	R	esults		
		Plots - Contour, Vector/tensor, Iso-surface		
		displays, Slicing Planes (.xls, XML formats)		
		2D/3D Animation (.avi, .mpeg, .VRML formats)		
		Extraction of results at any location		
		Automatic Result listing & exporting		
1000		Platform-neutral output database		
2	V	/isualizer		
		X-Y Plot (Contour, Vector, Iso-surface displays,	S.	
		Slicing Planes, forcing vectors/tensors, etc)		
		Section plots (velocity, pressure, vorticity, temperature, mass fraction, etc)		
		Particle Tracing (2D, 3D Plot)		
		Display of flow trajectory inside/outside or around the model with animated bands, 3D		
		arrows, pipes or spheres Animation (2D, 3D)avi, .VRML formats, saving	Alory	
		& playback facility Dynamic interference, Collision		
		checking/detection Diagnostic messages		
3	p	leports		
J		Quantitative Calculations		
		Automation Report generation (.doc, .xls, .bin,	CONTRACTOR NO.	
		.html, .XML formats)		
		2D/3D Plots/Images (.jpeg, .bmp, .tiff, .png format)		
		Porting of Data - X-Y plots for parts, joints, forces & moments, motions & actuators		
		Data (of inertial loads, gravity, joint forces/moments/torques) for stress analysis	Jane 1. Electric	
		System should automatically generate documentation, and these outputs should be		
		in ASCII text or .html format		
D	INTE	GRATED NEUTRAL SIMULATION PLATFORM		
1	-	timisation & Design Studies		
		opology, shape/geometry, weight optimization		
	-	DOE		
	-	Scripting		
123800	-	1 9		
2		Parametric study		-
2		Itiple/Integrated Simulations		
		Performance Testing		

	Stress and Deflection analysis under dynamic				
-	loads				
	Quasi-static Load Predictions				
-	Fatigue & Durability Analysis				
-	Life Cycle Analysis				
	Drag & drop simulation capabilities				
-	Data Porting for Viewing				
	Diagnostic messages				
	Photo-realistic Rendering				
3	Control & Co-simulation				
	In-built Library and Interaction between				
	Mechanical elements				
	Pneumatic elements				
	Electrical/Electronic elements				
	Mechatronic elements				
	Interface for Feedback control (with		A COLUMN TO SERVICE		
	Simulink/MatLab, LabView, etc)				
E	GENERAL REQUIREMENTS				Thursday.
1	File Translators/Reader				7
	Geometry Translators/Readers				
	Neutral Translator (IGES, DXF/DWG, STEP,				
	ACIS, STL, VRML, PARASOLID)				
	All types of commercially available solid-				
	modeller data Translators (SolidWorks,				
	SolidEdge, ProE, CATIA, UG, NX, ANSYS,				
	Plot3D, Rhino3D, Viewer XML, CAPRI etc)				
	Mesh Translators/Readers				
	Neutral Translator (Input -) (Output-CGNS)				
	Solver Interfaces (ABAQUS, ADAMS, ANSYS,				
	DADS, FLUENT, LS-DYNA, MADYMO, MARC,				
	Matlab/Simulink, MotionSolve, NASTRAN,				
	OptiStruct, PAMCRASH, RADIOSS, Star-				
	CD/CCM)				
2	Documentation A A A A A A A A A A A A A A A A A A A				
	Analysis User's Manual				
	Getting Started Manual				
	Example Problems Manuals				
	Interfaces User's Manual	to see the terminal description			
	Tutorials Operated to 6	Moreon			
	Release Notes				
F	NOTE				
	Computer Hardware and software, Operating				
	System specification for the said software				
	installation				
	Supports and Training to the staff				
	Software Support & Update Policy - 3Year AMC			AFF TO F	
	License Policy - Permanent/Perpetual/Term and				
	Stand-alone/Server based; Please clearly specify				
	License schemes (user-based/ token-based/ task-				
	based, Processor-specific/Core-specific) for				
	parallel/simultaneous use of all capabilities of				
	software from 25 users; and also specify any in-			表。其他自	
	built Cluster-computing schemes developed by				
N. S.	software company for advanced/heavy-duty				
	computation				
	unlimited nodes or limited intermediate-level nodes			15345	
	one software or set of bundled modules or three				
	software from different companies, but				
	interfacable to each other for analysis				
RE	Any Specific Additional Hardware/Software				
	Requirements				

22. <u>Two-Bid System - Bidders are required to furnish clause by clause compliance of specifications bringing out clearly the deviations from specification, if any. The Bidders are advised to submit the compliance statement in the following format along with Technical Bid-</u>

specifications item-wise	-1-001110011	Compliance to RFP specification – whether Yes / No	In case of noncompliance, deviation from RFP to be specified in unambiguous terms
21			

- 23. <u>Delivery Period</u> Delivery period for supply of items would be Three weeks from the effective date of contract. Please note that Contract can be cancelled unilaterally by the Buyer in case items are not received within the contracted delivery period. Extension of contracted delivery period will be at the sole discretion of the Buyer, with applicability of LD clause. The Vendor should provide in hardcopy as well as softcopy of the following:-
 - (a) Analysis User's Manual
 - (b) Getting Started Manual
 - (c) Example Problems Manuals
 - (d) Interfaces User's Manual
 - (e) Tutorials
 - (f) Release Notes
- 24. <u>Installation & Commissioning</u> Installation & Commissioning would be within two weeks from the effective date of delivery.
- 25. <u>Consignee Details.</u>

Project Officer Army Institute of Technology, Dighi, Alandi Road Pune – 411 015

Tele: 7249250184/185 Extn 2106 Email: project@aitpune.edu.in

Part III - Standard Conditions of RFP

The Bidder is required to give confirmation of their acceptance of the Standard Conditions of the Request for Proposal mentioned below which will automatically be considered as part of the Contract concluded with the successful Bidder (i.e. Seller in the Contract) as selected by the Buyer. Failure to do so may result in rejection of the Bid submitted by the Bidder.

- 26. <u>Law:</u> The Contract shall be considered and made in accordance with the laws of the Republic of India. The contract shall be governed by and interpreted in accordance with the laws of the Republic of India.
- 27. <u>Effective Date of the Contract:</u> The contract shall come into effect on the date of signatures of both the parties on the contract (Effective Date) and shall remain valid until the completion of the obligations of the parties under the contract. The deliveries and supplies and performance of the services shall commence from the effective date of the contract.
- 28. <u>Arbitration:</u> All disputes or differences arising out of or in connection with the Contract shall be settled by bilateral discussions. Any dispute, disagreement or question arising out of or relating to the Contract or relating to construction or performance, which cannot be settled amicably, may be resolved through arbitration. In all these matters the decision of the Director, AIT shall be final and binding.
- 29. <u>Non-disclosure of Contract documents:</u> Except with the written consent of the Buyer/ Seller, other party shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party.
- 30. <u>Liquidated Damages</u>: In the event of the Seller's failure to submit the Bonds, Guarantees and Documents, supply the stores/goods and conduct trials, installation of equipment, training, etc as specified in this contract, the Buyer may, at his discretion, withhold any payment until the completion of the contract. The BUYER may also deduct from the SELLER as agreed, liquidated damages to the sum of 0.5% of the contract price of the delayed/undelivered stores/services mentioned above for every week of delay or part of a week, subject to the maximum value of the Liquidated Damages being not higher than 5% of the value of delayed stores.
- 31. <u>Termination of Contract</u>: The Buyer shall have the right to terminate this Contract in part or in full in any of the following cases:-
 - (a) The delivery of the material is delayed for causes not attributable to Force Majeure for more than (8 weeks) after the scheduled date of delivery.
 - (b) The Seller is declared bankrupt or becomes insolvent.
 - (c) The delivery of material is delayed due to causes of Force Majeure by more than (12 Weeks) provided Force Majeure clause is included in contract.
 - (d) The Buyer has noticed that the Seller has utilised the services of any Indian/Foreign agent in getting this contract and paid any commission to such individual/company etc.

- (e) As per decision of the Arbitration Tribunal.
- 32. <u>Transfer and Sub-letting</u>: The Seller has no right to give, bargain, sell, assign or sublet or otherwise dispose of the Contract or any part thereof, as well as to give or to let a third party take benefit or advantage of the present Contract or any part thereof.
- 33. Patents and other Industrial Property Rights: The prices stated in the present Contract shall be deemed to include all amounts payable for the use of patents, copyrights, registered charges, trademarks and payments for any other industrial property rights. The Seller shall indemnify the Buyer against all claims from a third party at any time on account of the infringement of any or all the rights mentioned in the previous paragraphs, whether such claims arise in respect of manufacture or use. The Seller shall be responsible for the completion of the supplies including spares, tools, technical literature and training aggregates irrespective of the fact of infringement of the supplies, irrespective of the fact of infringement of any or all the rights mentioned above.
- 34. <u>Amendments:</u> No provision of present Contract shall be changed or modified in any way (including this provision) either in whole or in part except by an instrument in writing made after the date of this Contract and signed on behalf of both the parties and which expressly states to amend the present Contract.

35. Taxes and Duties

(a) General

- (i) If Bidder desires to ask for excise duty or GST extra, the same must be specifically stated. In the absence of any such stipulation, it will be presumed that the prices include all such charges and no claim for the same will be entertained.
- (ii) If reimbursement of any Duty/Tax is intended as extra over the quoted prices, the Bidder must specifically say so. In the absence of any such stipulation it will be presumed that the prices quoted are firm and final and no claim on account of such duty/tax will be entrained after the opening of tenders.
- (iii) If a Bidder chooses to quote a price inclusive of any duty/tax and does not confirm inclusive of such duty/tax so included is firm and final, he should clearly indicate the rate of such duty/tax and quantum of such duty/tax included in the price. Failure to do so may result in ignoring of such offers summarily.
- (iv) If a Bidder is exempted from payment of any duty/tax upto any value of supplies from them, he should clearly state that no such duty/tax will be charged by him up to the limit of exemption which he may have. If any concession is available in regard to rate/quantum of any Duty/tax, it should be brought out clearly. Stipulations like, the said duty/tax was presently not applicable but the same will be charged if it becomes leviable later on, will not be accepted unless in such cases it is clearly stated by a Bidder that such duty/tax will not be charged by him even if the same becomes applicable later on. In respect of the Bidders, who fail to comply with this requirement, their quoted prices shall be loaded with the quantum of such duty/tax which is normally applicable on the item in question for the purpose of comparing their prices with other Bidders.
- (v) Any change in any duty/tax upward/downward as a result of any statutory variation in excise taking place within contract terms shall be allowed to the extent of actual quantum of such duty/tax paid by the supplier. Similarly, in case of downward revision in any duty/tax, the actual quantum of reduction of such duty/tax shall be reimbursed to the Buyer by the Seller. All such adjustments

shall include all reliefs, exemptions, rebates, concession etc. if any obtained by the Seller.

Part IV - Special Conditions of RFP

The Bidder is required to give confirmation of their acceptance of Special Conditions of the RFP mentioned below which will automatically be considered as part of the Contract concluded with the successful Bidder (i.e. Seller in the Contract) as selected by the Buyer. Failure to do so may result in rejection of Bid submitted by the Bidder.

- 36. Performance Guarantee: The Bidder will be required to furnish a Performance Guarantee by way of Bank Guarantee through a public sector bank or a private sector bank authorized to conduct government business (ICICI Bank Ltd., Axis Bank Ltd or HDFC Bank Ltd.) for a sum equal to 5% of the contract value within 07 days of receipt of the confirmed order. Performance Bank Guarantee should be valid up to 60 days beyond the date of warranty.
- 37. Payment Terms for Sellers 100% payment on receipt of stores in working conditions and installation on verification of a Board of Officers detailed by AIT.
- 38. Risk & Expense clause
 - a. Should the stores or any instalment thereof not be delivered within the time or times specified in the contract documents, or if defective delivery is made in respect of the stores or any instalment thereof, the Buyer shall after granting the Seller 45 days to cure the breach, be at liberty, without prejudice to the right to recover liquidated damages as a remedy for breach of contract, to declare the contract as cancelled either wholly or to the extent of such default.
 - b. Should the stores or any instalment thereof not perform in accordance with the specifications / parameters provided by the SELLER during the check proof tests to be done in the BUYER's country, the BUYER shall be at liberty, without prejudice to any other remedies for breach of contract, to cancel the contract wholly or to the extent of such default.
 - c. In case of a material breach that was not remedied within 45 days, the BUYER shall, having given the right of first refusal to the SELLER be at liberty to purchase, manufacture, or procure from any other source as he thinks fit, other stores of the same or similar description to make good:
 - i. Such default.
 - ii. In the event of the contract being wholly determined the balance of the stores remaining to be delivered thereunder.
 - d. Any excess of the purchase price, cost of manufacturer, or value of any stores procured from any other supplier as the case may be, over the contract price appropriate to such default or balance shall be recoverable from the SELLER. Such recoveries shall not exceed 10% of the value of the contract."
- 39. Force Majeure clause.
 - a. Neither party shall bear responsibility for the complete or partial non-performance of any of its obligations (except for failure to pay any sum which has become due on account of receipt of goods under the provisions of the present

contract), if the non-performance results from such Force Majeure circumstances as Flood, Fire, Earth Quake and other acts of God as well as War, Military operation, blockade, Acts or Actions of State Authorities or any other circumstances beyond the parties control that have arisen after the conclusion of the present contract.

- In such circumstances the time stipulated for the performance of an obligation under the present contract is extended correspondingly for the period of time of action of these circumstances and their consequences.
- The party for which it becomes impossible to meet obligations under this contract due to Force Majeure conditions, is to notify in written form the other party of the beginning and cessation of the above circumstances immediately, but in any case not later than 10 (Ten) days from the moment of their beginning.
- Certificate of a Chamber of Commerce (Commerce and Industry) or other competent authority or organization of the respective country shall be a sufficient proof of commencement and cessation of the above circumstances.
- If the impossibility of complete or partial performance of an obligation lasts for more than 6 (six) months, either party hereto reserves the right to terminate the contract totally or partially upon giving prior written notice of 30 (thirty) days to the other party of the intention to terminate without any liability other than reimbursement on the terms provided in the agreement for the goods received.

40. Specification.

The following Specification clause will form part of the contract placed on successful Bidder - The Seller guarantees to meet the specifications as per Part-II of RFP and to incorporate the modifications to the existing design configuration to meet the specific requirement of the Buyer Services as per modifications/requirements recommended after the Maintenance Evaluation Trials. All technical literature and drawings shall be amended as the modifications by the Seller before supply to the Buyer. The Seller, in consultation with the Buyer, may carry out technical upgradation/alterations in the design, drawings and specifications due to change in manufacturing procedures, indigenisation or obsolescence. This will, however, not in any way, adversely affect the end specifications of the equipment. Changes in technical details, drawings repair and maintenance techniques alongwith necessary tools as a result of upgradation/alterations will be provided to the Buyer free of cost within 10 working days of affecting such upgradation/alterations.

41. OEM Certificate.

In case the Bidder is not the OEM, the agreement certificate with the OEM for sourcing the spares shall be mandatory. However, where OEMs do not exist, minor aggregates and spares can be sourced from authorized vendors subject to quality certification.

42. Quality.

The quality of the stores delivered according to the present Contract shall correspond to the technical conditions and standards valid for the deliveries of the same stores for in Seller's country or specifications enumerated as per RFP and shall also include therein modification to the stores suggested by the Buyer. Such modifications will be mutually agreed to. The Seller confirms that the stores to be supplied under this Contract shall be new i.e. not manufactured before (Year of Contract), and shall incorporate all the latest

improvements and modifications thereto and spares of improved and modified equipment are backward integrated and interchangeable with same equipment supplied by the Seller in the past if any. The Seller shall supply an interchangeability certificate along with the changed part numbers wherein it should be mentioned that item would provide as much life as the original item.

43. Quality Assurance.

Seller would provide the Standard Acceptance Test Procedure (ATP) within 1 week of after delivery of the items. Buyer reserves the right to modify the ATP. Seller would be required to provide all test facilities at his premises for acceptance and inspection by Buyer. The details in this regard will be coordinated during the negotiation of the contract. The item should be of the latest manufacture, conforming to the current production standard and having 100% defined life at the time of delivery.

44. Inspection Authority.

The Inspection will be carried out by Board of Officers appointed by Buyer.

45. Pre-Dispatch Inspection.

The Pre-Dispatch Inspection will be carried out where applicable by Board of Officers appointed by Buyer.

46. Franking clause.

The following Franking clause will form part of the contract placed on successful Bidder -

- a. Franking Clause in the case of Acceptance of Goods "The fact that the goods have been inspected after the delivery period and passed by the Inspecting Officer will not have the effect of keeping the contract alive. The goods are being passed without prejudice to the rights of the Buyer under the terms and conditions of the contract".
- b. Franking Clause in the case of Rejection of Goods "The fact that the goods have been inspected after the delivery period and rejected by the Inspecting Officer will not bind the Buyer in any manner. The goods are being rejected without prejudice to the rights of the Buyer under the terms and conditions of the contract."

47. Warranty and Maintenance Backup -

- (a) Warranty. Vendors will provide free onsite comprehensive warranty for software with the following or as provided by OEM whichever is more:-
 - (i) Perpetual license with one year update and lifetime warranty.
 - (ii) Term Licence of minimum period of three years with every year update and three year warranty.
- (b) Warranty shall include hardware, software and any other pre-loaded software as ordered from the date of acceptance. During the warranty, the vendor will repair/replace without any cost any equipment/part/accessory, which becomes, defective. During the warranty period all warranty benefits received by vendor from the OEMs, for any equipment pertaining to third parties will be passed on in to the Customer. The Customer may invoke the bank guarantee in case vendor fails to ensure rectification of defects within one week of the defect being intimated. Vendor

will ensure 99% systems availability during the warranty period. Items of consumable nature that may not be replaced free on account of defect/malfunction must be specified clearly in the offer. Failure to provide this Information shall be treated as all items components consumables are covered under warranty. Software update will be provided free of cost during warranty.

- (c) <u>Maintenance during Warranty</u> In order to ensure functionality of systems items supplied during warranty period, vendor shall provide software support. Vendor will provide the following:
 - i. Vendor will ensure that the system continues to perform in exactly the same manner as at the time of acceptance.
 - ii. Software Maintenance. Maintenance/Updation of software should be onsite and done as per the agreed Terms & Conditions.
- 48. <u>Software/ Hardware Support beyond Warranty Period</u>. In order to ensure functionality of system during the life time vendor shall guarantee to provide system support for this entire duration. Vendor will provide the following:
 - a. <u>Commercial / Bought out Software/ Hardware by Vendor.</u> Vendor shall provide all updates/upgrades/patches that may come free of cost from the principles. As and when customer wishes to upgrade commercial software so supplied, vendor shall also provide complete assistance.
- 49. <u>Conditions during Warranty</u>. The vendor should fulfil the following conditions during the warranty:-
 - (a) Any failure in the system or a subsystem thereof should be rectified within a maximum period 48 hours of lodging a complaint including loading of operating software if required.
 - (b) If the system is down beyond 48 hours, penalty at the rate of Rs 500/- (Rs Five hundred only) per day will be charged or recovered out of the Bank Guarantee held towards the warranty. In case of any system/sub system being down for more than seven working days, Customer has the option to get it repaired from any suitable agency at the risk and cost to be borne by the vendor, which will be deducted from the Bank Guarantee due to vendor.
 - (c) Any system failing at subsystem level three times within a period of three months or displaying chronic faulty behaviour or manufacturing defects or quality control problems will be totally replaced by the vendor at his risk and cost within 30 days of being intimated.

Part V - Evaluation Criteria & Price Bid issues

- 50. Evaluation Criteria The broad guidelines for evaluation of Bids will be as follows:
 - (a) Only those Bids will be evaluated which are found to be fulfilling all the eligibility and qualifying requirements of the RFP, both technically and commercially.
 - (b) In respect of Two-Bid system, the technical Bids forwarded by the Bidders will be evaluated by the Buyer with reference to the technical characteristics of the equipment as mentioned in the RFP. The compliance of Technical Bids would be determined on the basis of the parameters specified in the RFP. The Price Bids of only those Bidders will be opened whose Technical Bids would clear the technical evaluation.
 - (c) The Lowest Bid will be decided upon the lowest price quoted by the particular Bidder as per the Price Format given at Para 2 below. The consideration of taxes and duties in evaluation process will be as follows:
 - i. In cases where only indigenous Bidders are competing, all taxes and duties (including those for which exemption certificates are issued) quoted by the Bidders will be considered. The ultimate cost to the Buyer would be the deciding factor for ranking of Bids.
 - ii. In cases where both foreign and indigenous Bidders are competing, following criteria would be followed
 - The Bidders are required to spell out the rates of GST. Customs duty etc in unambiguous terms; otherwise their offers will be loaded with the maximum rates of duties and taxes for the purpose of comparison of prices. If reimbursement of GST/Customs duty is intended as extra, over the quoted prices, the Bidder must specifically say so. In the absence of any such stipulation it will be presumed that the prices quoted are firm and final and no claim on account of such duties will be entrained after the opening of tenders. If a Bidder chooses to quote a price inclusive of any duty and does not confirm inclusive of such duty so included is firm and final, he should clearly indicate the rate of such duty and quantum of excise duty included in the price. Failure to do so may result in ignoring of such offers summarily. If a Bidder is exempted from payment of Customs duty / Excise Duty / VAT duty upto any value of supplies from them, they should clearly state that no excise duty will be charged by them up to the limit of exemption which they may have. If any concession is available in regard to rate/quantum of Customs duty / Excise Duty / VAT, it should be brought out clearly. Stipulations like, excise duty was presently not applicable but the same will be charged if it becomes leviable later on, will not be accepted unless in such cases it is clearly stated by a Bidder that excise duty will not be charged by him even if the same becomes applicable later on. In respect of the Bidders who fail to comply with this requirement, their quoted prices shall be loaded with the quantum of excise duty which is normally applicable on the item in question for the purpose of comparing their prices with other Bidders. The same logic applies to Customs duty and VAT also.

(ab) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected. If there is a discrepancy between words and figures, the amount in words will prevail for calculation of price.

(ac) The Lowest Acceptable Bid will be considered further for placement of contract / Supply Order after complete clarification and price negotiations as decided by the Buyer. The Buyer will have the right to award contracts to different Bidders for being lowest in particular items. The Buyer also reserves the right to do Apportionment of Quantity, if it is convinced that Lowest Bidder is not in a position to supply full quantity in stipulated time.

(ad) Any other criteria as applicable to suit a particular case.



- 51. Price Bid Format: The Price Bid Format is given below and Bidders are required to fill this up correctly with full details, as required under part II of RFP.
 - (a) Basic cost of the item/items:

Sr No	Item	Quantity	Unit Price	Total
1	Procurement of Computational Fluid Dynamics (CFD) Software for Department of Mechanical Engineering	As per Part –II of this tender document		
			Total of Basic Cost	
Tota	l of Basic Cost (Amt in ds)			

(b) Installation / Commissioning char	ges - Rs	
(c) Any other item	- Rs	/-
(d) Grand Total of above	: Rs]-
(e) GST Amount (If applicable)	- Rs	1-

Grand Total of above (In words) -

Note – Determination of L1 vendor will be done based on Grand total of Basic Price [(a) to (d)] (not including GST).

AIT/0810/180/2023-24/Proj

Dated : May 2024

(MK Prasad) Col Jt Director

For Director