Tele: 7249250184/7249250185

Exte - 2106

AIT/0810/108/25-26/Proj

Army Institute of Technology

Dighi Hills

Pune - 411015

Date : 1 3 Jul 2025

Due date: 3 1 Jul 2025

CALL FOR QUOTATION : PROCUREMENT OF PCB DRILLING MACHINE FOR PCB LAB IN E&TC DEPT

 This institute is interested in procurement of PCB drilling machine for PCB lab in E&TC Dept as follows -

S No	Description of Items	A/U	Qty	Rate	Amount
i.	PCB DRILLING MACHINE (PROTODRILL - 3000) A compact tabletop High speed PCB drilling machine with a Quick Change Chuck a. Drill holding by precision chuck with lapped jaws b. Mains operated DC motor Direct drive (no belt and pulley) c. 3 Step Speed Control d. Illumination of Work Area Technical Data Motor Speed: 12,000 20,000 R.P.M. Range: 0.6 to 3.0 mm Base: Metal Working Area: 280 mm X 170 mm Electrical Power: 230V/50Hz, 5A Socket required	No	1		
ii.	Packing, forwarding, Freight charges	LS	1		
iii.	Technician visit for testing/demo	Job	1		
				Basic cost	
GST (%)					
		G	rand Tot	al (All Incl)	

2. Terms and Conditions. -

- a. The price quoted should be inclusive of all taxes and delivery at Army Institute of Technology, Dighi, Pune-411015.
- b. Discount offered if any, should be indicated as percentage of rates quoted, separately.
- c. Supply should be done within two weeks of the date of Supply Order.
- d. Quotations will be opened by a Board of Officers detailed by AIT. Please attach GST Certificate, Pancard, Shop Act etc if any.
- e. Payments for supplies will be made direct to the supplier by NEFT only after receipt of the stores in good condition and on verification by a board of officers.
- f. Printed conditions of the tenders/quotations shall not be binding on us.
- g. The acceptance of quotation will rest with the Director, Army Institute of Technology, Dighi, Pune 411 015, who does not bind himself to accept the lowest quotation and reserves the right himself to reject or partially accept any or all quotations received without assigning any reason.
- h. Quotations are liable to be rejected if any of the above conditions are not complied with.

(MK Prasad)

Col Director